ELSEVIER

Journal of Alloys and Compounds 270 (1998) 289

Journal of ALLOYS AND COMPOUNDS

Author Index of Volume 270

Akimoto, J., 115
Aoki, K., 35
Artigas, M., 28
Azad, A.-M., 95

Beaufort, M.F., 168
Belyaev, E.Yu., 224
Bloch, J., 194
Brück, E., 78
Buschow, K.H.J., 78

Chartier, P., 168

de Boer, F.R., 78
Dedieu, E., 168
Devlin, E., 21
Dongsheng, S., L7
Dou, S.X., L10

Eymery, J.P., 168

Franzen, H.F., 119
Fruchart, D., 28
Fujii, H., 160
Fujii, K., 42
Funaki, K., 160

Gallagher, K., 265
Gehringer, P., L10
Gillot, B., 275
Gjoka, M., 21
Golubkova, G.V., 224
Gotoh, Y., 115
Grosbras, M., 168
Guo, Q., 212

Haeuseler, H., 83
Han, K.H., 281
Hashizume, K., 42
Hatano, Y., 42
Hinatsu, Y., 127
Hirscher, M., 58
Hoerman, B., 265
Hon, N.C., 95
Hsieh, S.F., 237
Hu, W.-K., 255
Huo, G., 47

Ijjaali, I., 63
Inoue, H., 123, 142
Isnard, O., 28
Itoh, Y., 53
Iwakura, C., 123, 142
Izu, N., 107

Jen, S.U., 73
Jeon, S.-W., 255
Jiménez-Garay, R., 179
Jin, O., 186

Kadomatsu, H., 53
Kalogirou, O., 21
Kim, D.-M., 255
Kleinke, H., 136
Kleppa, O.J., 212
Kodentsov, A.A., 218
Kronmüller, H., 58
Kuz'ma, Yu.B., 16

Lang, W., L10
Lee, H.Y., 281
Lee, J.-Y., 255
Lewis, L.H., 265
Li, C.-J., 242, 246
Liang, J., 47
Liao, C.C., 73
Liu, B.X., 186
Liu, H.K., L10
Liu, Y., 154
Lomovsky, O.I., 224
Lopatynsky, I.E., 16
López-Alemany, P.L., 179

Malaman, B., 63
Marks, L.D., 88
Masumoto, T., 35
Medwick, P.A., 1
Miraglia, S., 28
Mommer, N., 58
Mori, K., 35
Morii, Y., 127
Morikawa, T., 123
Morozkin, A.V., L4, L13

Nakamori, Y., 53
Niarchos, D., 21
Nohara, S., 123, 142

Oesterreicher, H., L1
Omata, T., 107
Onodera, H., 35
Oosawa, Y., 115
Orimo, S.-i., 160
Otsuka-Yao-Matsuo, S., 107

Panchanathan, V., 265
Park, H.R., 164
Parrini, L., 203
Poeppelmeier, K.R., 88
Pohl, R.O., 1
Psycharis, V., 21

Qiao, Z., 47
Qin, Y., 175
Qiu, Y.Y., 145

Rao, G., 47
Reil, S., 83
Ressouche, E., 63

Seropegin, Yu.D., L4, L13
Shen, B., 47
Shimojo, Y., 127
Sinkler, W., 88
Song, M.Y., 164
Soubeyroux, J.L., 28
Souha, H., 275
Sugisaki, M., 42
Sumida, H., 160
Sviridov, I.A., L4, L13

Tanaka, T., 132
Tang, W., 47
Tokunaga, T., 53
Tsutaoka, T., 53

van Beek, J.A., 218
van Lier, J., 58
van Loo, F.J.J., 218
Vázquez, J., 179
Venturini, G., 63
Villares, P., 179

Wang, X., 88
Wang, X.L., L10
Wang, X.-L., 242, 246
Weber, G., 275
Welham, N.J., 228
Welter, R., 63
White, Jr, B.E., 1
Wu, S.K., 237

Xiang, H., 154

Yorimitsu, K., 123
Yuryev, S.O., 16
Yushchuk, S.I., 16

Zeng, L., 119
Zenkouar, M., 275
Zhang, C., 78
Zhang, H., 88
Zhang, S.G., 123, 142
Zhang, Z.J., 186
Zhaoliang, Z., L7
Zouggar, M., 168

Elsevier Science S.A.
PII: S0925-8388(98)00616-1

ELSEVIER

Journal of Alloys and Compounds 270 (1998) 291–295

Journal of ALLOYS AND COMPOUNDS

Subject Index of Volume 270

Activation
analysis of the kinetics of hydride formation during the activation of massive intermetallic samples 194
Aluminium metal-oxide systems
mechanochemical reaction between ilmenite ($FeTiO_3$) and aluminium 228
Amorphization
magnetic properties of crystalline and amorphous $GdFe_2H_x$ alloys prepared by hydrogenation 35
Amorphous
hydriding and electrochemical characteristics of a homogeneous amorphous Mg_2Ni-Ni composite 142
structural and hydriding properties of amorphous MgNi with interstitially dissolved carbon 160
Amorphous alloys
elastic properties of amorphous and crystalline $B_{1-x}C_x$ and boron at low temperatures 1
a comparative study of metastable alloy formation by ion mixing and thermal annealing of multilayers in the immiscible Y–Zr system 186
Anisotropic magnetoresistance
effect of cold work on anisotropic magnetoresistance of $Co_{25}Ni_{75}$ 73

B19′(Ti,Zr)Ni phase
a study on lattice parameters of martensite in $Ti_{50.5-x}Ni_{49.5}Zr_x$ shape memory alloys 237
Ball-milling
hydriding and electrochemical characteristics of a homogeneous amorphous Mg_2Ni-Ni composite 142
Barium stannate
characterization of $BaSnO_3$-based ceramics Part 1. Synthesis, processing and microstructural development 95
Borides
^{57}Fe Mössbauer spectroscopic investigation of the structural details of some ternary borides 16
$B_{1-x}C_x$ alloys
elastic properties of amorphous and crystalline $B_{1-x}C_x$ and boron at low temperatures 1

Capacitor
characterization of $BaSnO_3$-based ceramics Part 1. Synthesis, processing and microstructural development 95
Capacity decay rate
the relations between the microstructure and the capacity decay rate of $MLNi_{3.8}Co_{0.6}Mn_{0.55}Ti_{0.05}$ alloy. I. Capacity decay rate measurements 242
the relations between the microstructure and the capacity decay rate of the $MLNi_{3.8}Co_{0.6}Mn_{0.55}Ti_{0.05}$ alloy. II. Microstructure investigations and discussions 246
CeO_2
oxygen release behaviour of $Ce_{1-x}Zr_xO_2$ powders and appearance of $Ce_{(8-4y)}Zr_{4y}O_{(14-\delta)}$ solid solution in the ZrO_2–CeO_2–$CeO_{1.5}$ system 107

Cerium zirconate
oxygen release behaviour of $Ce_{1-x}Zr_xO_2$ powders and appearance of $Ce_{(8-4y)}Zr_{4y}O_{(14-\delta)}$ solid solution in the ZrO_2–CeO_2–$CeO_{1.5}$ system 107
Chalcogenide
crystal structure of 3R-$Ta_{1.08}S_2$ 115
Chromium
phase equilibria in the Ni–Cr–Ti system at 850°C 218
Cold work
effect of cold work on anisotropic magnetoresistance of $Co_{25}Ni_{75}$ 73
Colossal magnetoresistance
colossal and constant magnetoresistance over a large temperature range between 230 and 4.2 K in $La_{0.8}Li_{0.2}MnO_3$ prepared by a partial melting technique L10
Crystallization temperature
structural and hydriding properties of amorphous MgNi with interstitially dissolved carbon 160
Crystal structure
crystallographic data of the ternary compounds RRhGe (R=Gd-Tm) of the TiNiSi-type structure L4
new ternary compounds $R_2Mn_3Si_5$ (R=Tb–Er) with $Sc_2Fe_3Si_5$-type structure L13
structural, magnetic and hydrogenation properties of $R_2Fe_{17-x}Si_x$ alloys (R=rare earth element). I. Crystal structure behaviour of the $Ce_2Fe_{17-x}Si_yH_z$ system ($0 \le x \le 5$, $y \le 5$) 28
the crystal structure of HfZrP 119
a substitution of nickel by antimony: Crystal and electronic structure of the new antimonide $Hf_6Ni_{1-x}Sb_{2+x}$ 136
Crystal structure, $FeIn_2S_2Se_2$
materials with layered structures X^I: subsolidus phase diagram of the system $FeIn_2S_4$–$FeIn_2Se_4$ 83
Cuprates
predicting T_c as a function of stoichiometric holes per total O in simple ceramic superconductors L1

Deficient-spinel
reduction of magnesium orthovanadate $Mg_3(VO_4)_2$ 88
Diffusion couples
phase equilibria in the Ni–Cr–Ti system at 850°C 218
Dislocations
influence of interfaces on the plastic deformation in Ti–Al 203
Disorder
structural and magnetic properties of a novel compound with $Y_3(Fe, V)_{29}$ stoichiometry and disordered $CaCu_5$-type structure 21

Elastic properties
elastic properties of amorphous and crystalline $B_{1-x}C_x$ and boron at low temperatures 1
Electrical resistivity
magnetic and electrical properties of the intermetallic compounds R_3Rh_3 (R=La, Ce, Pr and Nd) 53

Elsevier Science S.A.
PII: S0925-8388(98)00617-3

Electrical transport
colossal and constant magnetoresistance over a large temperature range between 230 and 4.2 K in $La_{0.8}Li_{0.2}MnO_3$ prepared by a partial melting technique L10
Electrochemical properties
effect of annealing treatment on electrochemical properties of Mm-based hydrogen storage alloys for Ni/MH batteries 255
Electron diffraction
characterization of nanocrystalline PdCuSi alloy film prepared by evaporation 175
Electronic ceramics
characterization of $BaSnO_3$-based ceramics Part 1. Synthesis, processing and microstructural development 95
Electronic structure
a substitution of nickel by antimony: Crystal and electronic structure of the new antimonide $Hf_6Ni_{1-x}Sb_{2+x}$ 136
Enthalpies of formation
standard enthalpies of formation of $CeNi_5$ and of RENi (RE=Ce, Pr, Nd, Sm, Gd, Tb, Ho, Tm and Lu), determined by high-temperature direct synthesis calorimetry 212
EXAFS
a study of iron nitrogenation by hot isostatic pressing 168

Fe-Mössbauer spectroscopy
a study of iron nitrogenation by hot isostatic pressing 168

Gas sensor
characterization of $BaSnO_3$-based ceramics Part 1. Synthesis, processing and microstructural development 95
Glassy alloy
a study on non-isothermal transformation kinetics. Application to the crystallization of $Sb_{0.20}As_{0.32}Se_{0.48}$ alloy 179

Hafnium
the crystal structure of HfZrP 119
Heating rate
a study on non-isothermal transformation kinetics. Application to the crystallization of $Sb_{0.20}As_{0.32}Se_{0.48}$ alloy 179
Heat treatment
the relations between the microstructure and the capacity decay rate of $MLNi_{3.8}Co_{0.6}Mn_{0.55}Ti_{0.05}$ alloy. I. Capacity decay rate measurements 242
Hexagonal structure
a new scandium borocarbide: $ScB_{17}C_{0.25}$ 132
High-temperature direct synthesis calorimetry
standard enthalpies of formation of $CeNi_5$ and of RENi (RE=Ce, Pr, Nd, Sm, Gd, Tb, Ho, Tm and Lu), determined by high-temperature direct synthesis calorimetry 212
High-T_c superconductors
predicting T_c as a function of stoichiometric holes per total O in simple ceramic superconductors L1
Hole concentration
predicting T_c as a function of stoichiometric holes per total O in simple ceramic superconductors L1
Hydriding kinetics
analysis of the kinetics of hydride formation during the activation of massive intermetallic samples 194
Hydrogenation
magnetic properties of crystalline and amorphous $GdFe_2H_x$ alloys prepared by hydrogenation 35
Hydrogen diffusion
hydrogen diffusion in Sm_2Fe_{17} and $Sm_2Fe_{14}Ga_3$ compounds 58
Hydrogen in metals
analysis of the kinetics of hydride formation during the activation of massive intermetallic samples 194
Hydrogen segregation
elastic properties of amorphous and crystalline $B_{1-x}C_x$ and boron at low temperatures 1
Hydrogen sorption properties
pressure–composition isotherms in the Mg_2Ni–H_2 system 164
Hydrogen storage alloy
effects of particle size on the electrochemical properties of $Mm(NiCoMnAl)_5$ alloy L7
surface analysis of an amorphous MgNi alloy prepared by mechanical alloying for use in nickel–metal hydride batteries 123
hydriding and electrochemical characteristics of a homogeneous amorphous Mg_2Ni-Ni composite 142
the relations between the microstructure and the capacity decay rate of $MLNi_{3.8}Co_{0.6}Mn_{0.55}Ti_{0.05}$ alloy. I. Capacity decay rate measurements 242
the relations between the microstructure and the capacity decay rate of the $MLNi_{3.8}Co_{0.6}Mn_{0.55}Ti_{0.05}$ alloy. II. Microstructure investigations and discussions 246
Hydrogen storage alloys
effect of annealing treatment on electrochemical properties of Mm-based hydrogen storage alloys for Ni/MH batteries 255

Impurities
reactivity of commercial silicon and silicides towards copper(I) chloride. Effect of aluminium, calcium and iron on the formation of copper silicide 275
Interfaces
influence of interfaces on the plastic deformation in Ti–Al 203
Intermetallic compound
structural and magnetic properties of a novel compound with $Y_3(Fe, V)_{29}$ stoichiometry and disordered $CaCu_5$-type structure 21
Intermetallic compounds
hydrogen diffusion in Sm_2Fe_{17} and $Sm_2Fe_{14}Ga_3$ compounds 58
crystallographic data of the ternary compounds RRhGe (R=Gd-Tm) of the TiNiSi-type structure L4
structural, magnetic and hydrogenation properties of $R_2Fe_{17-x}Si_x$ alloys (R=rare earth element). I. Crystal structure behaviour of the $Ce_2Fe_{17-x}Si_xH_y$ system ($0 \le x \le 5$, $y \le 5$) 28
crystallization sequences and magnetic properties of melt-spun $Nd_2Fe_{14}B$-based nanocomposites containing Co and Cr 265
Intermetallics
structure and magnetic properties of $Gd_3(Fe_{1-x}Ti_x)_{29}$ (x=0.011–0.034) 47
influence of interfaces on the plastic deformation in Ti–Al 203
Internal friction
elastic properties of amorphous and crystalline $B_{1-x}C_x$ and boron at low temperatures 1
Ion mixing
a comparative study of metastable alloy formation by ion mixing and thermal annealing of multilayers in the immiscible Y–Zr system 186
Iron nitride
a study of iron nitrogenation by hot isostatic pressing 168
Isothermal and non-isothermal processes
a study on non-isothermal transformation kinetics. Application to the crystallization of $Sb_{0.20}As_{0.32}Se_{0.48}$ alloy 179

Kinetic parameters
a study on non-isothermal transformation kinetics. Application to the crystallization of $Sb_{0.20}As_{0.32}Se_{0.48}$ alloy 179

Lattice parameters
a study on lattice parameters of martensite in $Ti_{50.5-x}Ni_{49.5}Zr_x$ shape memory alloys 237
Laves compound
magnetic properties of crystalline and amorphous $GdFe_2H_x$ alloys prepared by hydrogenation 35
Layered materials
materials with layered structures X^1: subsolidus phase diagram of the system $FeIn_2S_4$–$FeIn_2Se_4$ 83

Layer removal
analysis of the kinetics of hydride formation during the activation of massive intermetallic samples 194

Magnesium–nickel
structural and hydriding properties of amorphous MgNi with interstitially dissolved carbon 160
Magnet materials
structural, magnetic and hydrogenation properties of $R_2Fe_{17-x}Si_x$ alloys (R=rare earth element). I. Crystal structure behaviour of the $Ce_2Fe_{17-x}Si_xH_y$ system ($0 \le x \le 5$, $y \le 5$) 28
Magnetic after-effect
hydrogen diffusion in Sm_2Fe_{17} and $Sm_2Fe_{14}Ga_3$ compounds 58
Magnetic moment
magnetic properties of crystalline and amorphous $GdFe_2H_x$ alloys prepared by hydrogenation 35
Magnetic properties
structure and magnetic properties of $Gd_3(Fe_{1-x}Ti_x)_{29}$ ($x=0.011$–0.034) 47
magnetic and electrical properties of the intermetallic compounds R_3Rh_3 (R=La, Ce, Pr and Nd) 53
a study of the $La_{1-x}Y_xMnSi$ ($0 \le x \le 0.8$) solid solution by magnetization and neutron diffraction measurements 63
magnetic properties and crystal structure of $R_2Co_{17-x}Ga_x$ compounds 78
crystallization sequences and magnetic properties of melt-spun $Nd_2Fe_{14}B$-based nanocomposites containing Co and Cr 265
Magnetic property
magnetic and neutron diffraction studies on potassium uranate KUO_3 127
Magnetocrystalline anisotropy
structural and magnetic properties of a novel compound with $Y_3(Fe, V)_{29}$ stoichiometry and disordered $CaCu_5$-type structure 21
Martensite reorientation
apparent modulus of elasticity of near-equiatomic NiTi 154
Martensitic transformation
a study on lattice parameters of martensite in $Ti_{50.5-x}Ni_{49.5}Zr_x$ shape memory alloys 237
Mechanical milling
mechanochemical reaction between ilmenite ($FeTiO_3$) and aluminium 228
Mechanochemistry
mechanochemical synthesis of nonstoichiometric tantalum disilicide 224
Metal hydride electrode
effect of annealing treatment on electrochemical properties of Mm-based hydrogen storage alloys for Ni/MH batteries 255
Metal hydrides
structural, magnetic and hydrogenation properties of $R_2Fe_{17-x}Si_x$ alloys (R=rare earth element). I. Crystal structure behaviour of the $Ce_2Fe_{17-x}Si_xH_y$ system ($0 \le x \le 5$, $y \le 5$) 28
Metal hydrogen electrode
the relations between the microstructure and the capacity decay rate of $MLNi_{3.8}Co_{0.6}Mn_{0.55}Ti_{0.05}$ alloy. I. Capacity decay rate measurements 242
the relations between the microstructure and the capacity decay rate of the $MLNi_{3.8}Co_{0.6}Mn_{0.55}Ti_{0.05}$ alloy. II. Microstructure investigations and discussions 246
Metal rich antimonides
a substitution of nickel by antimony: Crystal and electronic structure of the new antimonide $Hf_6Ni_{1-x}Sb_{2+x}$ 136
Metastable alloys
a comparative study of metastable alloy formation by ion mixing and thermal annealing of multilayers in the immiscible Y–Zr system 186
Metastable phase
characterization of nanocrystalline PdCuSi alloy film prepared by evaporation 175
Metastable phases
crystallization sequences and magnetic properties of melt-spun $Nd_2Fe_{14}B$-based nanocomposites containing Co and Cr 265
Metastable structures
mechanochemical synthesis of nonstoichiometric tantalum disilicide 224
MgNi
surface analysis of an amorphous MgNi alloy prepared by mechanical alloying for use in nickel–metal hydride batteries 123
Mg_2Ni
hydriding and electrochemical characteristics of a homogeneous amorphous Mg_2Ni-Ni composite 142
Mg_2Ni alloy
pressure–composition isotherms in the Mg_2Ni–H_2 system 164
$Mg_3V_2O_8$
reduction of magnesium orthovanadate $Mg_3(VO_4)_2$ 88
$Mg_3V_2O_8$
reduction of magnesium orthovanadate $Mg_3(VO_4)_2$ 88
Microscopic model
analysis of the kinetics of hydride formation during the activation of massive intermetallic samples 194
Microstructure
characterization of $BaSnO_3$-based ceramics Part 1. Synthesis, processing and microstructural development 95
the relations between the microstructure and the capacity decay rate of the $MLNi_{3.8}Co_{0.6}Mn_{0.55}Ti_{0.05}$ alloy. II. Microstructure investigations and discussions 246
Mixed silicides
reactivity of commercial silicon and silicides towards copper(I) chloride. Effect of aluminium, calcium and iron on the formation of copper silicide 275
Mn–Al–C alloys
phase constitution and fine microstructure in rapidly solidified austenitic Mn-rich Mn–Al–C alloys 281
Mn-rich
phase constitution and fine microstructure in rapidly solidified austenitic Mn-rich Mn–Al–C alloys 281
Model predictions
predicting T_c as a function of stoichiometric holes per total O in simple ceramic superconductors L1
Modulus of elasticity
apparent modulus of elasticity of near-equiatomic NiTi 154
Mössbauer effect
magnetic properties of crystalline and amorphous $GdFe_2H_x$ alloys prepared by hydrogenation 35
Multilayers
a comparative study of metastable alloy formation by ion mixing and thermal annealing of multilayers in the immiscible Y–Zr system 186
Multiphase Rietveld method
a study on lattice parameters of martensite in $Ti_{50.5-x}Ni_{49.5}Zr_x$ shape memory alloys 237

Nanocomposite
crystallization sequences and magnetic properties of melt-spun $Nd_2Fe_{14}B$-based nanocomposites containing Co and Cr 265
Neutron diffraction
a study of the $La_{1-x}Y_xMnSi$ ($0 \le x \le 0.8$) solid solution by magnetization and neutron diffraction measurements 63
magnetic and neutron diffraction studies on potassium uranate KUO_3 127
Ni–Al alloy
the splitting behavior of γ' particles in Ni-based alloys 145
Ni-based alloy
the splitting behavior of γ' particles in Ni-based alloys 145
Nickel
phase equilibria in the Ni–Cr–Ti system at 850°C 218

Nickel alloys
standard enthalpies of formation of $CeNi_x$ and of RENi (RE=Ce, Pr, Nd, Sm, Gd, Tb, Ho, Tm and Lu), determined by high-temperature direct synthesis calorimetry 212
Nickel-hydrogen battery
hydriding and electrochemical characteristics of a homogeneous amorphous Mg_2Ni-Ni composite 142
Nickel–metal hydride battery
effects of particle size on the electrochemical properties of $Mm(NiCoMnAl)_5$ alloy L7
surface analysis of an amorphous MgNi alloy prepared by mechanical alloying for use in nickel–metal hydride batteries 123
Ni/Sb mixed occupancies
a substitution of nickel by antimony: Crystal and electronic structure of the new antimonide $Hf_5Ni_{1-x}Sb_{2+x}$ 136
NiTi
apparent modulus of elasticity of near-equiatomic NiTi 154
Nuclear gamma resonance
^{57}Fe Mössbauer spectroscopic investigation of the structural details of some ternary borides 16

Oxygen release
oxygen release behaviour of $Ce_{(1-x)}Zr_xO_2$ powders and appearance of $Ce_{(8-4y)}Zr_{4y}O_{(14-6)}$ solid solution in the ZrO_2–CeO_2–$CeO_{1.5}$ system 107

Pair order
effect of cold work on anisotropic magnetoresistance of $Co_{25}Ni_{75}$ 73
Particle coarsening
the splitting behavior of γ′ particles in Ni-based alloys 145
Particle size
effects of particle size on the electrochemical properties of $Mm(NiCoMnAl)_5$ alloy L7
PdCuSi alloy film
characterization of nanocrystalline PdCuSi alloy film prepared by evaporation 175
Perovskites
colossal and constant magnetoresistance over a large temperature range between 230 and 4.2 K in $La_{0.8}Li_{0.2}MnO_3$ prepared by a partial melting technique L10
Phase constitution
phase constitution and fine microstructure in rapidly solidified austenitic Mn-rich Mn–Al–C alloys 281
Phase diagram, $FeIn_2S_4$–$FeIn_2Se_4$
materials with layered structures X^1: subsolidus phase diagram of the system $FeIn_2S_4$–$FeIn_2Se_4$ 83
Phase equilibria
phase equilibria in the Ni–Cr–Ti system at 850°C 218
Phosphorus
the crystal structure of HfZrP 119
Plastic deformation
influence of interfaces on the plastic deformation in Ti–Al 203
Polytype
crystal structure of 3R-$Ta_{1.08}S_2$ 115
Preannealing
a study on non-isothermal transformation kinetics. Application to the crystallization of $Sb_{0.20}As_{0.32}Se_{0.48}$ alloy 179
Preferential site occupation
magnetic properties and crystal structure of $R_2Co_{17-x}Ga_x$ compounds 78
Preparation
pressure–composition isotherms in the Mg_2Ni–H_2 system 164
a study of iron nitrogenation by hot isostatic pressing 168
Pressure–composition isotherm
effect of annealing treatment on electrochemical properties of Mm-based hydrogen storage alloys for Ni/MH batteries 255
Pressure–composition isotherms
pressure–composition isotherms in the Mg_2Ni–H_2 system 164

Rapid solidification
crystallization sequences and magnetic properties of melt-spun $Nd_2Fe_{14}B$-based nanocomposites containing Co and Cr 265
Rare earth alloys
effect of annealing treatment on electrochemical properties of Mm-based hydrogen storage alloys for Ni/MH batteries 255
Rare earth and manganese silicides
a study of the $La_{1-x}Y_xMnSi$ ($0 \le x \le 0.8$) solid solution by magnetization and neutron diffraction measurements 63
Rare earth cobalt compounds
magnetic properties and crystal structure of $R_2Co_{17-x}Ga_x$ compounds 78
Rare earth manganese silicides
new ternary compounds $R_2Mn_3Si_5$ (R=Tb–Er) with $Sc_2Fe_3Si_5$-type structure L13
Rare earth rhodium compounds
magnetic and electrical properties of the intermetallic compounds R_7Rh_3 (R=La, Ce, Pr and Nd) 53
Rare earth rhodium germanides
crystallographic data of the ternary compounds RRhGe (R=Gd-Tm) of the TiNiSi-type structure L4
$R_2Co_{17-x}Ga_x$
magnetic properties and crystal structure of $R_2Co_{17-x}Ga_x$ compounds 78
Reactivity
reactivity of commercial silicon and silicides towards copper(I) chloride. Effect of aluminium, calcium and iron on the formation of copper silicide 275

Scandium borocarbide
a new scandium borocarbide: $ScB_{17}C_{0.25}$ 132
$ScB_{17}C_{0.25}$
a new scandium borocarbide: $ScB_{17}C_{0.25}$ 132
Self-heat-sustained
characterization of $BaSnO_3$-based ceramics Part 1. Synthesis, processing and microstructural development 95
Shape memory alloys
apparent modulus of elasticity of near-equiatomic NiTi 154
Short-range order
effect of cold work on anisotropic magnetoresistance of $Co_{25}Ni_{75}$ 73
Si/CuCl system
reactivity of commercial silicon and silicides towards copper(I) chloride. Effect of aluminium, calcium and iron on the formation of copper silicide 275
Single crystal
crystal structure of 3R-$Ta_{1.08}S_2$ 115
Site occupancy
^{57}Fe Mössbauer spectroscopic investigation of the structural details of some ternary borides 16
Sm_2Fe_{17}
hydrogen diffusion in Sm_2Fe_{17} and $Sm_2Fe_{14}Ga_3$ compounds 58
$Sm_2Fe_{14}Ga_3$
hydrogen diffusion in Sm_2Fe_{17} and $Sm_2Fe_{14}Ga_3$ compounds 58
Solid-state
characterization of $BaSnO_3$-based ceramics Part 1. Synthesis, processing and microstructural development 95
Solid state diffusion
mechanochemical reaction between ilmenite ($FeTiO_3$) and aluminium 228
Spin reorientation
magnetic properties and crystal structure of $R_2Co_{17-x}Ga_x$ compounds 78

Splitting
the splitting behavior of γ′ particles in Ni-based alloys 145
Stress-induced martensitic transformation
apparent modulus of elasticity of near-equiatomic NiTi 154
Structure
^{57}Fe Mössbauer spectroscopic investigation of the structural details of some ternary borides 16
structural and magnetic properties of a novel compound with $Y_3(Fe, V)_{29}$ stoichiometry and disordered $CaCu_5$-type structure 21
Structure determination
structure and magnetic properties of $Gd_3(Fe_{1-x}Ti_x)_{29}$ (x=0.011–0.034) 47
Stuffed-spinel
reduction of magnesium orthovanadate $Mg_3(VO_4)_2$ 88
Sulfide
crystal structure of 3R-$Ta_{1.00}S_2$ 115
Synthesis
colossal and constant magnetoresistance over a large temperature range between 230 and 4.2 K in $La_{0.8}Li_{0.2}MnO_3$ prepared by a partial melting technique L10

Tantalum disilicide
mechanochemical synthesis of nonstoichiometric tantalum disilicide 224
Ternary intermetallic compounds
a study of the $La_{1-x}Y_xMnSi$ ($0 \le x \le 0.8$) solid solution by magnetization and neutron diffraction measurements 63
Ternary rare earth compounds
structure and magnetic properties of $Gd_3(Fe_{1-x}Ti_x)_{29}$ (x=0.011–0.034) 47
Thermal desorption
hydrogen diffusion in Sm_2Fe_{17} and $Sm_2Fe_{14}Ga_3$ compounds 58
Thermal expansion
magnetic and electrical properties of the intermetallic compounds R_7Rh_3 (R=La, Ce, Pr and Nd) 53
Thermogravimetry
reactivity of commercial silicon and silicides towards copper(I) chloride. Effect of aluminium, calcium and iron on the formation of copper silicide 275
Thermopower
magnetic and electrical properties of the intermetallic compounds R_7Rh_3 (R=La, Ce, Pr and Nd) 53
Ti–Al
influence of interfaces on the plastic deformation in Ti–Al 203
$Ti_{50.5-x}Ni_{49.5}Zr_x$ shape memory alloys
a study on lattice parameters of martensite in $Ti_{50.5-x}Ni_{49.5}Zr_x$ shape memory alloys 237
Titanium
phase equilibria in the Ni–Cr–Ti system at 850°C 218

Tracer diffusion coefficient
tracer diffusion coefficient of tritium in vanadium and trapping effect due to zirconium impurity 42
Transformation
the splitting behavior of γ′ particles in Ni-based alloys 145
Trapping effect
tracer diffusion coefficient of tritium in vanadium and trapping effect due to zirconium impurity 42
Tritium
tracer diffusion coefficient of tritium in vanadium and trapping effect due to zirconium impurity 42

Uranate
magnetic and neutron diffraction studies on potassium uranate KUO_3 127

Vanadium
tracer diffusion coefficient of tritium in vanadium and trapping effect due to zirconium impurity 42

XAES
surface analysis of an amorphous MgNi alloy prepared by mechanical alloying for use in nickel–metal hydride batteries 123
XPS
surface analysis of an amorphous MgNi alloy prepared by mechanical alloying for use in nickel–metal hydride batteries 123
X-ray diffraction
new ternary compounds $R_2Mn_3Si_5$ (R=Tb–Er) with $Sc_2Fe_3Si_5$-type structure L13
structural and magnetic properties of a novel compound with $Y_3(Fe, V)_{29}$ stoichiometry and disordered $CaCu_5$-type structure 21
a study of iron nitrogenation by hot isostatic pressing 168
X-ray photoelectron spectroscopy
structural and hydriding properties of amorphous MgNi with interstitially dissolved carbon 160

Y–Zr alloys
a comparative study of metastable alloy formation by ion mixing and thermal annealing of multilayers in the immiscible Y–Zr system 186

Zirconium
the crystal structure of HfZrP 119
Zr alloys
elastic properties of amorphous and crystalline $B_{1-x}C_x$ and boron at low temperatures 1